

*Sub*  
*AB*

**WHAT IS CLAIMED IS:**

1. A display control method comprising the steps of:  
 capturing an image;  
 extracting a partial image from the captured image;  
 5 adding a predetermined visual effect to the extracted  
 partial image; and  
 displaying the partial image added with the predetermined  
 visual effect in a moving motion.

10 2. The display control method according to Claim 1, wherein  
 a moving image is captured in the step of capturing the  
 image; and  
 the partial image is extracted using fixed parameters in  
 the step of extracting the partial image.

15 3. The display control method according to Claim 1, wherein  
 a still image is captured in the step of capturing the  
 image; and  
 the partial image is extracted using variable parameters  
 20 in the step of extracting the partial image.

4. The display control method according to Claim 1, wherein  
 a visual effect by which the extracted partial image can  
 stereographically be seen is added in the step of adding the  
 25 predetermined visual effect.

5. The display control method according to Claim 1, wherein a visual effect by which the extracted partial image can shinningly be seen is added in the step of adding the predetermined visual effect.

6. The display control method according to Claim 1, further comprising the steps of:

displaying a predetermined game character; and

displaying the partial image together with the game character in a moving motion in response to operation for moving the game character.

7. The display control method according to Claim 6, further comprising the steps of:

displaying, together with the game character, a straight line passing the center of the entire captured image; and

displaying according to a predetermined timing the partial image, which has been displayed in a moving motion together with the game character, in a moving motion along the straight line.

8. The display control method according to Claim 7, wherein the partial image is displayed in a moving motion at a speed corresponded to the size of the partial image in the step for displaying the partial image in a moving motion along the straight line.

9. The display control method according to Claim 8, further comprising the steps of:

detecting contact between the partial image displayed in  
5 a moving motion along the straight line and the partial image  
in a moving motion which is displayed so as to pass the center  
of the entire image; and

A2  
10 adding, upon detection of the contact between both  
partial images, a visual effect corresponded to the size of the  
partial image in a moving motion along the straight line to at  
least the partial image in a moving motion along the straight  
line.

1060FT 242600T  
15 10. A storage medium having recorded therein a display  
control program, wherein the program comprises the steps of:

capturing an image;

extracting a partial image from the captured image;

adding a predetermined visual effect to the extracted  
partial image; and

20 displaying the partial image added with the predetermined  
visual effect in a moving motion.

11. A display control device comprising:

image capture means for capturing an image;

25 image extraction means for extracting a partial image  
from the image captured by the image capture means;

visual effect addition means for adding a predetermined visual effect to the partial image extracted by the image extraction means; and

display means for displaying the partial image in a moving motion added with the predetermined visual effect by the visual effect addition means.

12. A display control program comprising the steps of:  
capturing an image;

extracting a partial image from the captured image;  
adding a predetermined visual effect to the extracted partial image; and

displaying the partial image added with the predetermined visual effect in a moving motion.